


Water Compliance Inspection Report

Section A: National Data System Coding (i.e., PCS)

Transaction Code		NPDES				yr/mo/day				Inspection Type		Inspector		Fac Type			
1	N			W	A	U	0	0	5	5	2	R		R		3	
Remarks																	
21																66	
Inspection Work Days				Facility Self-Monitoring Evaluation Rating				BI		QA		-----Reserved-----					
67				69				71		72		73		74	75		80

Section B: Facility Data

<p>Name and Location of Facility Inspected (For industrial users discharging to POTW, also include POTW name and NPDES permit number)</p> <p>George Vojkovich 8855 Ershig Lane Bow, WA 98232 Skagit County</p>	<p>Entry Time/Date 11:55am 09/28/11</p> <p>Exit Time/Date 11:56am 09/28/11</p>	<p>Permit Effective Date Unpermitted</p> <p>Permit Expiration Date Unpermitted</p>
<p>Name(s) of On-Site Representative(s)/Title(s)/Phone and Fax Number(s)</p> <p>George Vojkovich. Other information is unknown. This facility was viewed from an aerial over flight. As a result, facility representatives were not sought out during this visit.</p>	<p>Other Facility Data (e.g., SIC NAICS, and other descriptive information)</p> <p>SIC = 0212 NAICS = 112111</p> <p>Lat.: 48.518341 Long.: -122.376646</p>	
<p>Name, Address of Responsible Official/Title/Phone and Fax Number</p> <p>George Vojkovich. Other information is unknown at this time.</p> <p style="text-align: right;"> Contacted <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No </p>		

Section C: Areas Evaluated During Inspection (Check only those areas evaluated)

<input type="checkbox"/>	Permit	<input type="checkbox"/>	Self-Monitoring Program	<input type="checkbox"/>	Pretreatment	<input type="checkbox"/>	MS4
<input type="checkbox"/>	Records/Reports	<input type="checkbox"/>	Compliance Schedules	<input type="checkbox"/>	Pollution Prevention	<div style="border: 1px solid blue; padding: 5px; transform: rotate(-2deg);"> U.S. EPA REGION 10 OFFICE OF COMPLIANCE AND ENFORCEMENT </div>	
<input checked="" type="checkbox"/>	Facility Site Review	<input type="checkbox"/>	Laboratory	<input type="checkbox"/>	Storm Water		
<input type="checkbox"/>	Effluent/Receiving Waters	<input type="checkbox"/>	Operations & Maintenance	<input type="checkbox"/>	Combined Sewer Overflow		
<input type="checkbox"/>	Flow Measurement	<input type="checkbox"/>	Sludge Handling/Disposal	<input type="checkbox"/>	Sanitary Sewer Overflow		

Section D: Summary of Findings/Comments

(Attach additional sheets of narrative and checklists, including Single Event Violation codes, as necessary)

SEV Codes	SEV Description
● ● ● ● ● ● ● ● ● ●	An aerial over flight was conducted at this facility in order to
● ● ● ● ● ● ● ● ● ●	determine whether an on the ground inspection should be
● ● ● ● ● ● ● ● ● ●	conducted. See the attached photograph for details of this
● ● ● ● ● ● ● ● ● ●	facility. This concludes the documentation of this visit.

Name(s) and Signature(s) of Inspector(s) Joseph S. Roberto 	Agency/Office/Phone and Fax Numbers EPA/OCE/206-553-1669	Date 10/05/11
Signature of Management Q A Reviewer 	Agency/Office/Phone and Fax Numbers EPA/OCE/NOU 3-0955	Date 10/11/11

ICIS / PCS
10-7-2011
JBrown

INSTRUCTIONS

Section A: National Data System Coding (i.e., PCS)

Column 1: Transaction Code: Use N, C, or D for New, Change, or Delete. All inspections will be *new* unless there is an error in the data entered.

Columns 3-11: NPDES Permit No. Enter the facility's NPDES permit number - third character in permit number indicates permit type for U=unpermitted, G=general permit, etc.. (Use the Remarks columns to record the State permit number, if necessary.)

Columns 12-17: Inspection Date. Insert the date entry was made into the facility. Use the year/month/day format (e.g., 04/10/01 = October 01, 2004).

Column 18: Inspection Type*. Use one of the codes listed below to describe the type of inspection:

A Performance Audit	U IU Inspection with Pretreatment Audit	! Pretreatment Compliance (Oversight)
B Compliance Biomonitoring	X Toxics Inspection	@ Follow-up (enforcement)
C Compliance Evaluation (non-sampling)	Z Sludge - Biosolids	{ Storm Water-Construction-Sampling
D Diagnostic	# Combined Sewer Overflow-Sampling	} Storm Water-Construction-Non-Sampling
F Pretreatment (Follow-up)	\$ Combined Sewer Overflow-Non-Sampling	: Storm Water-Non-Construction-Sampling
G Pretreatment (Audit)	+ Sanitary Sewer Overflow-Sampling	~ Storm Water-Non-Construction-Non-Sampling
I Industrial User (IU) Inspection	& Sanitary Sewer Overflow-Non-Sampling	< Storm Water-MS4-Sampling
J Complaints	\ CAFO-Sampling	- Storm Water-MS4-Non-Sampling
M Multimedia	= CAFO-Non-Sampling	> Storm Water-MS4-Audit
N Spill	2 IU Sampling Inspection	
O Compliance Evaluation (Oversight)	3 IU Non-Sampling Inspection	
P Pretreatment Compliance Inspection	4 IU Toxics Inspection	
R Reconnaissance	5 IU Sampling Inspection with Pretreatment	
S Compliance Sampling	6 IU Non-Sampling Inspection with Pretreatment	
	7 IU Toxics with Pretreatment	

Column 19: Inspector Code. Use one of the codes listed below to describe the *lead agency* in the inspection.

A — State (Contractor)	O — Other Inspectors, Federal/EPA (Specify in Remarks columns)
B — EPA (Contractor)	P — Other Inspectors, State (Specify in Remarks columns)
E — Corps of Engineers	R — EPA Regional Inspector
J — Joint EPA/State Inspectors—EPA Lead	S — State Inspector
L — Local Health Department (State)	T — Joint State/EPA Inspectors—State lead
N — NEIC Inspectors	

Column 20: Facility Type. Use one of the codes below to describe the facility.

- 1 — Municipal. Publicly Owned Treatment Works (POTWs) with 1987 Standard Industrial Code (SIC) 4952.
- 2 — Industrial. Other than municipal, agricultural, and Federal facilities.
- 3 — Agricultural. Facilities classified with 1987 SIC 0111 to 0971.
- 4 — Federal. Facilities identified as Federal by the EPA Regional Office.
- 5 — Oil & Gas. Facilities classified with 1987 SIC 1311 to 1389.

Columns 21-66: Remarks. These columns are reserved for remarks at the discretion of the Region.

Columns 67-69: Inspection Work Days. Estimate the total work effort (to the nearest 0.1 work day), up to 99.9 days, that were used to complete the inspection and submit a QA reviewed report of findings. This estimate includes the accumulative effort of all participating inspectors; any effort for laboratory analyses, testing, and remote sensing; and the billed payroll time for travel and pre and post inspection preparation. This estimate does not require detailed documentation.

Column 70: Facility Evaluation Rating. Use information gathered during the inspection (regardless of inspection type) to evaluate the quality of the facility self-monitoring program. Grade the program using a scale of 1 to 5 with a score of 5 being used for very reliable self-monitoring programs, 3 being satisfactory, and 1 being used for very unreliable programs.

Column 71: Biomonitoring Information. Enter D for static testing. Enter F for flow through testing. Enter N for no biomonitoring.

Column 72: Quality Assurance Data Inspection. Enter Q if the inspection was conducted as followup on quality assurance sample results. Enter N otherwise.

Columns 73-80: These columns are reserved for regionally defined information.

Section B: Facility Data

This section is self-explanatory except for "Other Facility Data," which may include new information not in the permit or PCS (e.g., new outfalls, names of receiving waters, new ownership, other updates to the record, SIC/NAICS Codes, Latitude/Longitude).

Section C: Areas Evaluated During Inspection

Check only those areas evaluated by marking the appropriate box. Use Section D and additional sheets as necessary. Support the findings, as necessary, in a brief narrative report. Use the headings given on the report form (e.g., Permit, Records/Reports) when discussing the areas evaluated during the inspection.

Section D: Summary of Findings/Comments

Briefly summarize the inspection findings. This summary should abstract the pertinent inspection findings, not replace the narrative report. Reference a list of attachments, such as completed checklists taken from the NPDES Compliance Inspection Manuals and pretreatment guidance documents, including effluent data when sampling has been done. Use extra sheets as necessary.

*Footnote: In addition to the inspection types listed above under column 18, a state may continue to use the following wet weather and CAFO inspection types until the state is brought into ICIS-NPDES: K: CAFO, V: SSO, Y: CSO, W: Storm Water 9: MS4. States may also use the new wet weather, CAFO and MS4 inspections types shown in column 18 of this form. The EPA regions are required to use the new wet weather, CAFO, and MS4 inspection types for inspections with an inspection date (DTIN) on or after July 1, 2005.



09/29/2011 12:21 AM

JK 8 JK